

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L25	7339	((726/2-6) or (726/17) or (726/19) or (726/21) or (726/22-27) or (726/34) or (713/166) or (713/193) or (370/252) or (370/254)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L32	225915	(request\$4 ask\$4 obtain\$3 determin\$8) near3 (location\$2 destination\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L33	10570	(determin\$8) near3 (privacy preference\$1 association\$1 security\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L34	2866	L32 and L33	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L35	3537	(privacy private\$3 secret\$6) near3 (location\$2 destination\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L36	171	L34 and L35	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L37	11211	(privacy private\$4 securit\$3) near4 (preference\$1 set\$4 parameter\$1 specifie\$1 specify\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L38	1199	(privacy private\$4 securit\$3) near4 (disabl\$4)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L39	4992	(privacy private\$4 securit\$3) near4 (enabl\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L40	463	L39 and L38	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L41	119	L37 and L36	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L42	65	L41 and (requester\$1 requestor\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L43	0	L40 and L42	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L44	2	L40 and L41	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L45	4992	(privacy private\$4 securit\$3) near4 (enabl\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L46	1199	(privacy private\$4 securit\$3) near4 (disabl\$4)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L47	463	L45 and L46	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L48	11211	(privacy private\$4 securit\$3) near4 (preference\$1 set\$4 parameter\$1 specifie\$1 specify\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07

EAST Search History

L49	10570	(determin\$8) near3 (privacy preference\$1 association\$1 security\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L50	225915	(request\$4 ask\$4 obtain\$3 determin\$8) near3 (location\$2 destination\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L51	3537	(privacy private\$3 secret\$6) near3 (location\$2 destination\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L52	2866	L50 and L49	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L53	171	L52 and L51	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L54	119	L48 and L53	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L55	2	L47 and L54	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L56	7339	((726/2-6) or (726/17) or (726/19) or (726/21) or (726/22-27) or (726/34) or (713/166) or (713/193) or (370/252) or (370/254)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L57	1160	L56 and L48	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L58	11211	(privacy private\$4 securit\$3) near4 (preference\$1 set\$4 parameter\$1 specifie\$1 specify\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L59	7339	((726/2-6) or (726/17) or (726/19) or (726/21) or (726/22-27) or (726/34) or (713/166) or (713/193) or (370/252) or (370/254)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L60	1160	L59 and L58	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L61	225915	(request\$4 ask\$4 obtain\$3 determin\$8) near3 (location\$2 destination\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L62	339	L60 and enabl\$3 and disabl\$4	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L63	110	L62 and L61	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L64	10570	(determin\$8) near3 (privacy preference\$1 association\$1 security\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L65	3537	(privacy private\$3 secret\$6) near3 (location\$2 destination\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L66	2866	L61 and L64	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07

EAST Search History

L67	171	L66 and L65	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L68	119	L58 and L67	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L69	65	L68 and (requester\$1 requestor\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L70	47	L69 and enabl\$3 and disabl\$4	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L71	10570	(determin\$8) near3 (privacy preference\$1 association\$1 security\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L72	3537	(privacy private\$3 secret\$6) near3 (location\$2 destination\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L73	225915	(request\$4 ask\$4 obtain\$3 determin\$8) near3 (location\$2 destination\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L74	2866	L73 and L71	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L75	171	L74 and L72	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L76	11211	(privacy private\$4 securit\$3) near4 (preference\$1 set\$4 parameter\$1 specifie\$1 specify\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L77	119	L76 and L75	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L78	110	L62 and L61	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L79	65	L77 and (requester\$1 requestor\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:07
L80	47	L79 and enabl\$3 and disabl\$4	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:46
L81	2	trethewey near3 james	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:48
L82	8	keskar near3 dhananjay	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:50
L83	7	hoekstra near3 mat\$6	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:52
L84	0	gadamesty near3 uma	USPAT; IBM_TDB	OR	OFF	2008/01/17 15:47
L85	6	agnihotri near3 manoj	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:13
L87	1098	privacy near5 (preference\$1 select\$4 option\$1 choice\$1 specif\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:29
L88	31	87 near7 determin\$6	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:29

EAST Search History

L89	26	88 and request\$4	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:22
L90	227032	(device\$1 computer\$1 system\$1 pc laptop lap-top\$1 pda node\$1 workstation\$1 station\$1) near4 (location\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:23
L91	4059	90 near6 request\$4	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:44
L92	1	89 and 91	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:26
L93	56	87 and 91	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:26
L94	312	87 near7 (user\$1 requester\$1 requestor\$1 client\$1 person\$2)	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:45
L95	28	93 and 94	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:28
L96	28	95 and 87	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:28
L97	28	96 and determin\$6	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:53
L98	331	privacy near7 determin\$6	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:30
L99	8	97 and 98	USPAT; IBM_TDB	OR	OFF	2008/01/17 17:07
L101	36	87 near6 request\$4	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:45
L102	15	101 near7 (user\$1 requester\$1 requestor\$1 client\$1 person\$2)	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:45
L103	8	102 and 98	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:46
L104	5	102 and 90	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:55
L105	12	(determin\$6 consider\$4) near6 (if\$1 whether) near6 (privacy).near5 (set\$3 specif\$5 select\$4)	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:54
L106	6	105 and 90	USPAT; IBM_TDB	OR	OFF	2008/01/17 16:55